

DRAWINGS

FIG. 1

IMAGES OF CROSS-SECTIONS OF FILMS

(BOTH ENDS ARE FIXED WITH THE FILM BEING LOOSENEED

5 IN THE TD DIRECTION)

GEL FILM

FILM FIXING JIG

GEL FILM

FILM FIXING JIG

10 FIG. 2

Y-AXIS

ORIENTATION AXIS

X-AXIS

ORIENTATION AXIS

15 TRAVELLING DIRECTION OF FILM (MD DIRECTION)

FIG. 3

TRAVELLING DIRECTION OF FILM (MD DIRECTION)

FIG. 4

TENTERING FURNACE AND DEGREE OF EXPANSION AND SHRINKAGE

20 BOTH-END-UNFIXED GEL FILM

END-FIXING POINT

PIN SHEET RAIL

END-RELEASING POINT

FIRST FURNACE

25 SECOND FURNACE

THIRD FURNACE

IR FURNACE

SLOW-COOLING FURNACE

SLOW-COOLING FURNACE

5 MD DIRECTION

DISTANCE BETWEEN FIXED ENDS = FILM WIDTH

DISTANCE BETWEEN FIXED ENDS < FILM WIDTH

-

-

-

FIG. 1
IMAGES OF CROSS-SECTIONS OF FILMS
(BOTH ENDS ARE FIXED WITH THE FILM BEING LOOSENED
IN THE TD DIRECTION)






FIG. 2




WESTERMAN, HATTORI, DANIELS & ADRIAN, LLP
Title: Adhesive film, flexible metal-clad laminate
Inventor(s): Takashi KIKUCHI et al.
Attorney Docket: 062572

FIG. 3



ES1 AVAILABLE COPY

FIG. 4 TENTERING FURNACE AND DEGREE OF EXPANSION AND SHRINKAGE



BEST AVAILABLE COPY